

## Chapter 12

# Lattice enthalpy

Print out and complete this worksheet to generate a summary for Chapter 12.

**1** Use equations to define each of the following.

**a** lattice enthalpy of potassium oxide

.....

**b** enthalpy of atomisation of bromine

.....

**c** second electron affinity of oxygen

.....

**d** enthalpy of hydration of  $\text{Mg}^{2+}$

.....

**e** enthalpy of solution of magnesium chloride

.....

**2 a** Construct a Born–Haber cycle that could be used to determine the lattice enthalpy of calcium chloride.

**Chapter 12 Lattice enthalpy**

**b** Use the information below to calculate the lattice enthalpy of calcium chloride.

Enthalpy of atomisation of calcium =  $+108 \text{ kJ mol}^{-1}$

1<sup>st</sup> ionisation enthalpy of calcium =  $+590 \text{ kJ mol}^{-1}$

1<sup>st</sup> ionisation enthalpy of calcium =  $+1100 \text{ kJ mol}^{-1}$

Enthalpy of atomisation of chlorine =  $+122 \text{ kJ mol}^{-1}$

1<sup>st</sup> electron affinity of chlorine =  $-364 \text{ kJ mol}^{-1}$

Enthalpy of formation of calcium chloride =  $-795 \text{ kJ mol}^{-1}$

**3** For each of the following pairs of compounds, explain which would have the largest numerical value for its lattice enthalpy.

**a** sodium chloride or magnesium chloride

.....

.....

.....

.....

**b** barium chloride or calcium chloride

.....

.....

.....

.....

**c** calcium chloride or calcium bromide

.....

.....

.....

.....

**Chapter 12 Lattice enthalpy**

- 4** Use the information below to calculate the enthalpy of solution of barium chloride:

Enthalpy of hydration of  $\text{Cl}^- = -384.1 \text{ kJ mol}^{-1}$

Enthalpy of hydration of  $\text{Ba}^{2+} = -1272.8 \text{ kJ mol}^{-1}$

Lattice enthalpy of  $\text{BaCl}_2 = -1958 \text{ kJ mol}^{-1}$